

US

Drill Pipe

OD	Weight	Grade	Connection	Range	TJ OD	TJ ID	Hardband	Coating	Qty	MFG
2 7/8"	10.40	S135	NC31	2	4 1/8"	2"	No	No	9	CDP
2 7/8"	10.40	G105	AOH	2	3 7/8"	2 5/32"	No	No	242	TSC
3 1/2"	13.30	E75	NC38	2	4 3/4"	2 11/16"	Yes	Yes	96	GP
3 1/2"	13.30	S135	NC38	2	5"	2 7/16"	No	No	266	CDP/ Tejas
3 1/2"	13.30	G105	NC38	2	5"	2 7/16"	No	No	257	CDP
3 1/2"	15.50	G105	NC38	2	5"	2 9/16"	No	No	290	DPM
4"	14.0	S135	NC40	2	5 1/4"	2 11/16"	No	No	500	CDP
4 1/2"	16.60	G105	NC46	2	6 1/4"	3"	No	No	605	CDP
4 1/2"	16.60	S135	NC46	2	6 3/8"	2 3/4"	No	No	44	BAO
4 1/2"	16.60	S135	NC46	2	6 3/8"	2 3/4"	Yes	No	77	BAO/ DPM
5"	19.50	G105	NC50	2	6 5/8"	3 1/4"	No	No	341	BAO
5"	19.50	S135	NC50	2	6 5/8"	3 1/4"	350XT	Yes	94	BAO
5"	19.50	G105	NC50	3	6 5/8"	3 1/4"	Armacor	Yes	265	CDP

High Torque Drill Pipe

OD	Weight	Grade	Connection	Range	TJ OD	TJ ID	Hardband	Coating	Qty	MFG
2 7/8"	10.40	G105	ATDS26	2	3 1/2"	1 1/2"	No	Yes	485	TSC
4"	14.00	S135	CET39	2	4 7/8"	2 11/16"	Yes	No	479	CDP
4"	14.00	S135	CET39	2	4 7/8"	2 11/16"	Duraband	No	477	CDP

High Torque Drill Pipe

OD	Weight	Grade	Connection	Range	TJ OD	TJ ID	Hardband	Coating	Qty	MFG
4"	14.00	S135	CET39	2	4 7/8"	2 11/16"	Armacor	Yes	797	CDP
4"	15.70	S135	CET39	2	4 7/8"	2 11/16"	Duraband	No	698	CDP
4 1/2"	16.60	S135	CDS40	2	5 1/4"	2 11/16"	No	No	746	CDP
4 1/2"	16.60	S135	CDS40	2	5 1/4"	2 11/16"	Duraband	No	224	CDP
5 7/8"	23.40	S135	CET57	2	7"	4 1/4"	No	No	641	VAM
4"	14.00	G105	VX39	2	4 7/8"	2 9/16"	Yes	Yes	587	VAM
4"	14.00	G105	VX39	2	4 7/8"	2 9/16"	No	No	548	VAM
5 1/2"	24.70	G105	VX54	2	6 5/8"	4"	No	No	593	VAM
5 1/2"	24.70	G105	VX54	2	6 5/8"	4"	350XT	Yes	195	VAM

Heavy Weight Drill Pipe

OD	Weight	Type	Connection	Range	TJ OD	TJ ID	Hardband	BB/SRG	Qty	MFG
3 1/2"	23.90	Stand	NC38	2	5"	2 1/4"	No	Yes/No	26	DPM
3 1/2"	23.90	Stand	NC38	2	5"	2 1/4"	No	Yes/No	82	CDP
4"	29.92	Stand	NC40	2	5 1/4"	2 9/16"	No	Yes/No	53	CDP
4"	29.92	Stand	NC40	2	5 1/4"	2 9/16"	Armacor/ Tungsten	Yes/Yes	28	CDP
4"	31.51	Spiral	NC40	2	5 1/4"	2 9/16"	No	Yes/Yes	12	DRILCO
4"	29.16	Spiral	CET39	2	4 7/8"	2 9/16"	No	No/No	10	CDP

US

Heavy Weight Drill Pipe

OD	Weight	Type	Connection	Range	TJ OD	TJ ID	Hardband	BB/SRG	Qty	MFG
4"	29.16	Spiral	CET39	2	4 7/8"	2 9/16"	Duraband/ Tungsten	No/No	8	CDP
4"	29.16	Stand	CET39	2	4 7/8"	2 9/16"	No	No/No	119	CDP
4"	29.16	Stand	CET39	2	4 7/8"	2 9/16"	350XT/ Tungsten	No/No	35	CDP
4 1/2"	41.30	Stand	CDS40	2	5 1/4"	2 11/16"	No	No/No	80	CDP
4 1/2"	41.30	Stand	CDS40	2	5 1/4"	2 11/16"	HB	No/No	10	CDP
4 1/2"	41.30	Stand	CDS40	2	5 1/4"	2 11/16"	No	No/No	21	CDP
4 1/2"	41.3	Stand	CDS40	3	5 1/4"	2 11/16"	No	No/No	33	CDP
4 1/2"	41.45	Stand	NC46	2	6 1/4"	2 13/16"	Tungsten CWP	Yes/No	41	CDP
4 1/2"	41.45	Stand	NC46	2	6 3/8"	2 13/16"	Tungsten CWP P/B	Yes/Yes	5	GP
4 1/2"	49.53	Spiral	NC46	2	6 3/8"	2 13/16"	No	Yes/No	132	DPM
5"	50.38	Stand	NC50	2	6 5/8"	3"	350XT/ Tungsten	Yes/No	70	CDP
5"	50.38	Stand	NC50	2	6 5/8"	3"	Tungsten CWP	Yes/No	26	CDP
5"	50.38	Spiral	NC50	2	6 5/8"	3"	No	Yes/No	111	CDP
5"	59.16	Stand	NC50	2	6 5/8"	3"	No	Yes/No	208	CDP

US

Drill Collars

OD	ID	Weight	Connection	Finished	Slip	Elevator	Hardband	Qty	MFG
3 1/8"	1 1/4"	22	BLANK	SLICK	NO	NO	NO	96	SEAH
4 3/4"	2 1/4"	47	NC38	SLICK	NO	NO	NO	4	OTI
4 3/4"	2 1/4"	47	NC38	SLICK	YES	NO	NO	67	OTI
4 3/4"	2 1/4"	47	NC38	SPIRAL	YES	NO	NO	94	SUMY/ JSH
4 3/4"	2 1/4"	47	NC38	SPIRAL	YES	NO	YES	15	OTI
6 1/4"	2 1/4"	91	NC46	SLICK	YES	NO	NO	17	SUMY/ SEAH
6 1/4"	2 1/4"	91	BLANK	SLICK	NO	NO	NO	1	SEAH
6 1/2"	2 1/4"	98	NC46	SLICK	YES	NO	NO	134	SUMY
6 1/2"	2 1/4"	98	NC46	SPIRAL	YES	YES	YES	3	
6 1/2"	2 1/4"	98	NC46	SPIRAL	YES	NO	NO	76	SUMY/OTI
6 1/2"	2 13/16"	91	BLANK	SLICK	NO	NO	NO	15	SUMY
6 1/2"	3 1/4"	85	BLANK	SLICK	NO	NO	NO	3	
6 3/4"	2 1/4"	100	NC46	SPIRAL	YES	YES	NO	2	
7"	2 13/16"	110	BLANK	SLICK	NO	NO	NO	2	SEAH
8"	2 13/16"	150	6 5/8" REG	SLICK	YES	NO	NO	126	SUMY
8"	2 13/16"	150	6 5/8" REG	SPIRAL	YES	NO	NO	21	SUMY/ YIDA
8"	3 1/2"	138	BLANK	SLICK	NO	NO	NO	3	
8 1/4"	2 13/16"	160	6 5/8" REG	SPIRAL	YES	NO	NO	5	

US

Drill Collars

OD	ID	Weight	Connection	Finished	Slip	Elevator	Hardband	Qty	MFG
8 1/4"	2 13/16"	160	6 5/8" REG	SPIRAL NS-1	YES	NO	NO	7	JSH
8 1/4"	2 13/16"	160	6 5/8" REG	SPIRAL	YES	YES	NO	3	OTI
8 1/4"	3"	157	6 5/8" REG	SPIRAL	YES	NO	NO	4	OTI
8 1/4"	3"	157	6 5/8" REG	SPIRAL	YES	NO	YES	26	OTI
9 1/2"	3"	217	7 5/8" REG	SLICK	YES	NO	NO	20	SUMY
9 1/2"	3"	217	7 5/8" REG	SPIRAL	YES	NO	NO	14	SUMY

*****USED*****

Used High Torque Drill Pipe

Size	Weight	Grade	Connection	Range	TJ OD	Inspection	Class	ODC	Qty
4"	15.70	S135	CET39	2	4.800"	DS1-CAT4	Premium	YES	23
4"	14.00	S135	CET39	2	4.875"	VTI	New	YES	51

Used API Drill Pipe

Size	Weight	Grade	Connection	Range	TJ OD	Inspection	Class	ODC	Qty
2 7/8"	10.40	S135	2 7/8" AOH	2	4.100"	Not Inspected	Not Inspected	No	810

US

Used API Drill Pipe

Size	Weight	Grade	Connection	Range	TJ OD	Inspection	Class	ODC	Qty
2 7/8"	10.40	S135	2 7/8" AOH	2	4.100"	DS1 Cat III	Premium	No	399
2 7/8"	10.40	G105	2 7/8" AOH	2	3.810"+	DS1 Cat III	Premium	Yes	494
2 7/8"	10.40	S135	2 7/8" AOH	2	3.890"+	DS1 Cat III	Premium	Yes	335
3 1/2"	15.50	S135	NC38	2	4 3/4" +	API RP7G	Premium	Yes	95
4 1/2"	16.60	E75	NC46	2	6 1/8" +	API RP7G	Premium	No	329
4 1/2"	16.60	X95	NC46	2	5 13/16"	API RP7G	Premium	No	147
5"	19.50	G105	NC 50	2	6"+	API RP7G	Premium	Yes	32
5"	19.50	G105	NC 50	2	6 1/16" +	DS1 Cat III	Premium	Yes	206

Used API Drill Pipe

Size	Weight	Grade	Connection	Range	TJ OD	Inspection	Class	ODC	Qty
5"	19.50	S135	NC 50	2	6 3/8" +	API RP7G	Premium	Yes	279
5 1/2"	21.90	S135	5 1/2" FH	2	7 1/4" +		Premium	No	7
5 1/2"	24.70	S135	5 1/2" FH	2	7.250"+	DS1-CAT4	Premium	Yes	85

Used Heavy Weight Drill Pipe

OD	Weight	Type	Connection	Range	TJ OD	TJ ID	Inspection	BB/SRG	Qty
4"	29.92	Stand	NC40	2	5 3/16"	2 9/16"	Pending	Yes/Yes	27
4 1/2"	43.31	Stand	NC46	2	6 3/8"	2 13/16"	DS1-CAT4	Yes/Yes	23
5"	57.37	Spiral	NC50	2	6 5/8"	3"	New Reman	Yes/No	19

New Kellys

Size	Dimension	Box	Pin	Length	Welded/ Integral	Qty	MFG
3 1/2"	Square	6 5/8" Reg LH	NC 38	37'	Integral	6	OTI
3 1/2"	Square	6 5/8" Reg LH	NC 38	37'	Welded	5	CHINA
3 1/2"	Square	6 5/8" Reg LH	NC 38	40'	Welded	5	OTI
3 1/2"	Square	4 1/2" Reg LH	NC38	37'	Welded	3	CHINA
3 1/2"	Square	6 5/8" Reg LH	NC 38	40'	Integral	1	JSH
4 1/4"	Hex	6 5/8" Reg LH	NC 40	40'	Integral	4	OTI
4 1/4"	Square	6 5/8" Reg LH	NC46	46'	Integral	1	OTI
4 1/4"	Hex	6 5/8" Reg LH	Blank	46'	Integral	4	OTI
5 1/4"	Hex	6 5/8" Reg LH	NC50	40'	Welded	3	OTI
5 1/4"	Hex	6 5/8" Reg LH	NC 50	46'	Integral	1	OTI
6"	Hex	6 5/8" Reg LH	NC 50	46'	Integral	1	
5 1/4"	Square	6 5/8" Reg LH	NC50	46'	Integral	1	JSH